

PRACHT®

COMO

LED HIGH BAY PROGRAM

COMO BL

COMO PRO

COMO PRO DALI

FEATURES COMO SERIES


Great light

Low glare - lowest UGR value of its class.




Checked

D-rating and IP65 thanks to robust structure and short, ageing-resistant silicone seals.



Robust materials

Housing made of white powder-coated aluminium magnesium alloy.




Secure mounting

Robust, pre-assembled suspension eye for 1-point attachment.




Bracket mounting

Wall and ceiling mounting brackets available as accessories.



Cover

Various covers and light distributions available.



PRACHT®


COMO BL

The COMO BL from the PRACHT BASIC LINE is a quickly available, robust and cost-effective lighting solution for high-ceilinged halls.

High PRACHT quality with the price-performance winner COMO BL.



100



200

COMO BL Individual luminaire, color temperature 4000 K, diameter 380 mm, R_a>80, EEC A++; IP65, T_a -40°C ... +50°C

Model	P/N	Power	Light distribution	Luminous flux	Weight
COMO BL 100	9600012	1x100 W	wide 100°	13600 lm	2,4 kg
COMO BL 150	9600212	1x150 W	wide 100°	20500 lm	3,9 kg
COMO BL 150	9610212	1x150 W	medium 60°	20500 lm	3,9 kg
COMO BL 200	9600112	1x200 W	wide 100°	27000 lm	4,0 kg
COMO BL 200	9610112	1x200 W	medium 60°	27000 lm	4,0 kg

ACCESSORIES


Item	P/N	Description
Bügel COMO BL 100	9600009	Wall and ceiling mounting bracket white
Bügel COMO BL/PRO 150/200	9600019	Wall and ceiling mounting bracket white

Protection class I

Protection type IP65

 Dustproof, 220-240 V 50/60 Hz

 *registered



PRACHT®



TOUGH AC/DC
 R_a >80
EFFICIENT ENEC
1:1 REPLACEMENT INEXPENSIVE
MAX 127 LM/W



PRICE-PERFORMANCE WINNER



Housing



Suspension/eyelet



Straight view COMO BL 200

3
 YEAR
 WARRANTY

50.000 h
 LIFETIME

ENERGY
 EFFICIENCY
 CLASS
A++

IP65



-40°C ... +50°C

PRACHT.COM

+49 64 66 / 91 40-0

PRACHT®

COMO PRO

Would you like some more? If the standard applications request even more and the COMO BL is maxed out - here comes the COMO PRO.

As configurable LED high bay luminaire of the PRACHT PRO LINE.



150



200

COMO PRO PC (Polycarbonate), individual luminaire, color temperature 4000 K, diameter 380 mm, R_a>80, EEC A++; IP65, T_a -40°C ... +50°C

	Luminous flux	P/N	Power	Light distribution	Luminous flux	Weight
ON/OFF	COMO PRO 150	96012121	1x150 W	100° wide	20500 lm	3,9 kg
	COMO PRO 200	96011121	1x200 W	100° wide	27000 lm	4,0 kg
DIM-DALI	COMO PRO 150	96112121	1x150 W	60° medium	20500 lm	3,9 kg
	COMO PRO 200	96111121	1x200 W	60° medium	27000 lm	4,0 kg
ON/OFF	COMO PRO 150	96062121	1x150 W	100° wide	20500 lm	3,9 kg
	COMO PRO 200	96061121	1x200 W	100° wide	27000 lm	4,0 kg
DIM-DALI	COMO PRO 150	96162121	1x150 W	60° medium	20500 lm	3,9 kg
	COMO PRO 200	96161121	1x200 W	60° medium	27000 lm	4,0 kg
ON/OFF	COMO PRO 200	96166121	1x200 W	60° medium	32000 lm	3,9 kg
	COMO PRO 200	96066121	1x200 W	100° wide	32000 lm	4,0 kg

COMO PRO Cover PMMA, individual luminaire, color temperature 4000 K, diameter 380 mm, R_a>80, EEC A++; IP65, T_a -40°C ... +50°C


	Model	P/N	Power	Light distribution	Luminous flux	Weight
ON/OFF	COMO PRO 150	96012221	1x150 W	100° wide	20500 lm	3,9 kg
	COMO PRO 200	96011221	1x200 W	100° wide	27000 lm	4,0 kg
DIM-DALI	COMO PRO 150	96112221	1x150 W	60° medium	20500 lm	3,9 kg
	COMO PRO 200	96111221	1x200 W	60° medium	27000 lm	4,0 kg
ON/OFF	COMO PRO 150	96062221	1x150 W	100° wide	20500 lm	3,9 kg
	COMO PRO 200	96061221	1x200 W	100° wide	27000 lm	4,0 kg
DIM-DALI	COMO PRO 150	96162221	1x150 W	60° medium	20500 lm	3,9 kg
	COMO PRO 200	96161221	1x200 W	60° medium	27000 lm	4,0 kg
ON/OFF	COMO PRO 200	96166221	1x200 W	60° medium	32000 lm	3,9 kg
	COMO PRO 200	96066221	1x200 W	100° wide	32000 lm	4,0 kg

ACCESSORIES

Item	P/N	Description
Bracket COMO BL/PRO 150/200	9600019	Wall and ceiling mounting bracket white



Protection class I
Protection type IP65
Dustproof, 220-240 V 50/60 Hz
*registered



PRACHT®

5 YEAR WARRANTY
D-RATING
DIM DALI POLYCARBONATE COVER
CASAMBI PMMA COVER
PERFORMANCE




HALL SPECIALIST



Inner prismatic cover lenses



Optimal glare control



Head view COMO PRO 200

5

YEAR WARRANTY



50.000 h LIFETIME

ENERGY EFFICIENCY CLASS

A++

IP65



-40°C ... +50°C

PRACHT.COM

+49 64 66 / 91 40 - 0

**„THERE WILL NEVER BE ANY COMPROMISE
IN THE QUALITY OF MY PRACHT LUMINAIRES.“**

Alfred Pracht, founder, 1963