


NEKO / SENSE 100 / S100R3-G2
Wall Washer LED Downlight

NEW



See Details @www.nekolighting.com

NEKO / SENSE 100H / S100HR3-G2
Wall Washer LED Downlight

NEW



13W 18W CRI80 2700K 3000K 4000K CITIZEN 50,000H @ L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek

25W CRI80 2700K 3000K 4000K CITIZEN 50,000H @ L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek



Matt Reflector


| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 13 W | 15 W | 36 V | 350 mA | 90 | 2700K | Wall Washer | 1400lm | 650lm | SSR3G2-927WW13N-WM |
| | | | | | 3000K | Wall Washer | 1500lm | 680lm | SSR3G2-930WW13N-WM |
| | | | | | 4000K | Wall Washer | 1600lm | 750lm | SSR3G2-940WW13N-WM |
| 18 W | 21 W | 36 V | 500 mA | 90 | 2700K | Wall Washer | 1900lm | 850lm | SSR3G2-927WW18N-WM |
| | | | | | 3000K | Wall Washer | 2000lm | 900lm | SSR3G2-930WW18N-WM |
| | | | | | 4000K | Wall Washer | 2200lm | 1000lm | SSR3G2-940WW18N-WM |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)


Trimless Version available



Trimless code for SSR3G2-930WW13N-WM → SSR6G2-930WW13N-WM



Trimless code for SSR3G2-930WW13N-WM → ESR3G2-930WW13N-WM



Matt Reflector


| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 25 W | 15 W | 36 V | 350 mA | 90 | 2700K | Wall Washer | 2400lm | 1000lm | SHR3G2-927WW25N-WM |
| | | | | | 3000K | Wall Washer | 2600lm | 1100lm | SHR3G2-930WW25N-WM |
| | | | | | 4000K | Wall Washer | 2800lm | 1200lm | SHR3G2-940WW25N-WM |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)


Trimless Version available



Trimless code for SHR3G2-930WW25N-WM → SHR6G2-930WW25N-WM



Trimless code for SHR3G2-930WW25N-WM → EHR3G2-930WW25N-WM



NEKO / SENSE 100 / S100S3 G2
Wall Washer LED Downlight

NEW



NEKO / SENSE 100H / S100HS3-G2
Wall Washer LED Downlight

NEW



See Details @www.nekolighting.com

13W 18W CRI90 2700K 3000K 4000K CITIZEN 50,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 96x96 1-25mm Ceiling Thickness 131 107x107

25W CRI90 2700K 3000K 4000K CITIZEN 50,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 96x96 1-25mm Ceiling Thickness 157 107x107



Matt Reflector


| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 13 W | 15 W | 36 V | 350 mA | 90 | 2700K | Wall Washer | 1400lm | 650lm | SSS3G2-927WW13N-WM |
| | | | | | 3000K | Wall Washer | 1500lm | 680lm | SSS3G2-930WW13N-WM |
| | | | | | 4000K | Wall Washer | 1600lm | 750lm | SSS3G2-940WW13N-WM |
| 18 W | 21 W | 36 V | 500 mA | 90 | 2700K | Wall Washer | 1900lm | 850lm | SSS3G2-927WW18N-WM |
| | | | | | 3000K | Wall Washer | 2000lm | 900lm | SSS3G2-930WW18N-WM |
| | | | | | 4000K | Wall Washer | 2200lm | 1000lm | SSS3G2-940WW18N-WM |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)



Trimless Version available



Trimless code for SSS3G2-930WW13N-WM → SSS6G2-930WW13N-WM



Trimless code for SSS3G2-930WW13N-WM → ESS3G2-930WW13N-WM



Matt Reflector

| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 25 W | 15 W | 36 V | 350 mA | 90 | 2700K | Wall Washer | 2400lm | 1000lm | SHS3G2-927WW25N-WM |
| | | | | | 3000K | Wall Washer | 2600lm | 1100lm | SHS3G2-930WW25N-WM |
| | | | | | 4000K | Wall Washer | 2800lm | 1200lm | SHS3G2-940WW25N-WM |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)



Trimless Version available



Trimless code for SHS3G2-930WW13N-WM → SHS6G2-930WW13N-WM



Trimless code for SHS3G2-930WW13N-WM → EHS3G2-930WW13N-WM



NEKO / SENSE 125 / S125R3-G2
Wall Washer LED Downlight

NEW



See Details @www.nekolighting.com

NEKO / SENSE 125 / S125S3-G2
Wall Washer LED Downlight

NEW



See Details @www.nekolighting.com

18W 25W CRI90 2700K 3000K 4000K CITIZEN 60,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 125 1-30mm Ceiling Thickness 159 0137

18W 25W CRI90 2700K 3000K 4000K CITIZEN 60,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 122x122 1-30mm Ceiling Thickness 159 134x134



Matt Reflector


| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 18 W | 21 W | 36 V | 500 mA | 90 | 2700K | Wall Washer | 1900lm | 850lm | SMR3G2-927WW18N-WM |
| | | | | | 3000K | Wall Washer | 2000lm | 900lm | SMR3G2-930WW18N-WM |
| | | | | | 4000K | Wall Washer | 2200lm | 1000lm | SMR3G2-940WW18N-WM |
| 25 W | 28 W | 36 V | 700 mA | 90 | 2700K | Wall Washer | 2400lm | 1100lm | SMR3G2-927WW25N-WM |
| | | | | | 3000K | Wall Washer | 2600lm | 1200lm | SMR3G2-930WW25N-WM |
| | | | | | 4000K | Wall Washer | 2800lm | 1300lm | SMR3G2-940WW25N-WM |

Code Remark N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)

Trimless Version available



Trimless code for SMR3G2-930WW18N-WM → SMR6G2-930WW18N-WM



Trimless code for SMR3G2-930WW18N-WM → EMR3G2-930WW18N-WM



Matt Reflector


| LED Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|-----------|--------------|-------------|-------------|-----|-------|-------------|------------|---------------|--------------------|
| 18 W | 21 W | 36 V | 500 mA | 90 | 2700K | Wall Washer | 1900lm | 850lm | SMS3G2-927WW18N-WM |
| | | | | | 3000K | Wall Washer | 2000lm | 900lm | SMS3G2-930WW18N-WM |
| | | | | | 4000K | Wall Washer | 2200lm | 1000lm | SMS3G2-940WW18N-WM |
| 25 W | 28 W | 36 V | 700 mA | 90 | 2700K | Wall Washer | 2400lm | 1100lm | SMS3G2-927WW25N-WM |
| | | | | | 3000K | Wall Washer | 2600lm | 1200lm | SMS3G2-930WW25N-WM |
| | | | | | 4000K | Wall Washer | 2800lm | 1300lm | SMS3G2-940WW25N-WM |

Code Remark N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)


Trimless Version available



Trimless code for SMS3G2-930WW18N-WM → SMS6G2-930WW18N-WM



Trimless code for SMS3G2-930WW18N-WM → EMS3G2-930WW18N-WM



NEKO / SENSE 150 / S150R3-G2
Wall Washer LED Downlight


NEW



See Details @www.nekolighting.com

NEKO / SENSE 150 / S150S3-G2
Wall Washer LED Downlight

NEW



See Details @www.nekolighting.com

25W 38W CRI90 2700K 3000K 4000K CITIZEN 60,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 160 1-35mm Ceiling Thickness 190 Ø182

25W 38W CRI90 2700K 3000K 4000K CITIZEN 60,000h@L80B10 IP54 5 YEAR GUARANTEE CB CE ENEC Intertek 147x147 1-35mm Ceiling Thickness 190 195x195



Matt Reflector

| LED | Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|------|-------|--------------|-------------|-------------|-------|-------------|--------|------------|--------------------|------|
| 25 W | 28 W | 36 V | 700 mA | 90 | 2700K | Wall Washer | 2500lm | 1100lm | SLR3G2-927WW25N-WM | |
| | | | | | 3000K | Wall Washer | 2700lm | 1200lm | SLR3G2-930WW25N-WM | |
| | | | | | 4000K | Wall Washer | 2900lm | 1300lm | SLR3G2-940WW25N-WM | |
| 38 W | 42 W | 36 V | 1050 mA | 90 | 2700K | Wall Washer | 3500lm | 1600lm | SLR3G2-927WW38N-WM | |
| | | | | | 3000K | Wall Washer | 3700lm | 1700lm | SLR3G2-930WW38N-WM | |
| | | | | | 4000K | Wall Washer | 4000lm | 1800lm | SLR3G2-940WW38N-WM | |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)



Matt Reflector

| LED | Power | System power | LED Voltage | LED Current | CRI | CCT | Beam | LED Output | System Output | Code |
|------|-------|--------------|-------------|-------------|-------|-------------|--------|------------|--------------------|------|
| 25 W | 28 W | 36 V | 700 mA | 90 | 2700K | Wall Washer | 2500lm | 1100lm | SLS3G2-927WW25N-WM | |
| | | | | | 3000K | Wall Washer | 2700lm | 1200lm | SLS3G2-930WW25N-WM | |
| | | | | | 4000K | Wall Washer | 2900lm | 1300lm | SLS3G2-940WW25N-WM | |
| 38 W | 42 W | 36 V | 1050 mA | 90 | 2700K | Wall Washer | 3500lm | 1600lm | SLS3G2-927WW38N-WM | |
| | | | | | 3000K | Wall Washer | 3700lm | 1700lm | SLS3G2-930WW38N-WM | |
| | | | | | 4000K | Wall Washer | 4000lm | 1800lm | SLS3G2-940WW38N-WM | |

Code Remark: N=N(No Driver) F=F(ON-OFF) P=P(Phase Dim) A=A(1-10V Dim) D=D(DALI Dim)

Trimless Version available

Trimless code for SLR3G2-930WW25N-WM → SLR6G2-930WW25N-WM

Trimless code for SLR3G2-930WW25N-WM → ELR3G2-930WW25N-WM



Trimless Version available

Trimless code for SLS3G2-930WW25N-WM → SLS6G2-930WW25N-WM

Trimless code for SLS3G2-930WW25N-WM → ELS3G2-930WW25N-WM

